The LADM Valuation Information Model based on INTERLIS

Abdullah Kara, Delft University of Technology and Yıldız Technical University, Turkey

Volkan Çağdaş, Yıldız Technical University, Turkey

Ümit Işıkdağ, Mimar Sinan Fine Arts University, Turkey

Peter van Oosterom, Delft University of Technology, The Netherlands

Christiaan Lemmen, University of Twente, The Netherlands

Erik Stubkjær, Aalborg University, Denmark


7th International FIG workshop on the Land Administration Domain Model, 12-13 April 2018, Zagreb, Croatia

Content of the presentation

- LADM Valuation Information Model
- INTERLIS
- Implementation of the LADM Valuation Information Model with INTERLIS

Valuation aspect of land administration


- UnitedNew Urban Agenda We will support local governments and relevant stakeholders, through a variety of mechanisms, in developing and using basic land inventory information, such as a cadaster, valuation and risk maps, as well as land and housing price records ... needed to assess changes in land values ... (Clause 104).
- Valuation is the missing component in land administration. Studies on land administration more focused on land tenure, 3D aspects and technical issues.
- A recently started joint activity group has started to extend LADM for the specification of valuation information maintained by public authorities especially for property taxation.



Short history of LADM Valuation Information Model


- The joint activity group has decided to develop an information model for property valuation and taxation in very beginning of 2015.
 - A standalone data model OR
 - Exdending the scope of an extisting standard
- The first data model for property valuation and taxation was published in. İn 11th 3D Geoinfo Conference, 20–21 October 2016, Athens, Greece (Çağdaş et al.). **LADM ExtTaxation** and **ExtValuation** were extended in this data model.
- After discussions, it was decided that the scope of the **extension** should be **limited only the property valuation** since the property taxation practices are more **country specific** and dependant to **local conditions**.


LADM Valuation Information Model



VM_ValuationUnit represents basic recording units of valuation databases, such as

- a. Only land (e.g. parcel),
- b. Only improvements (e.g. buildings),
- c. Land and improvements together as land property,
- Land and improvements together as condominium property








- + urban
- + subUrban
- + rural


«codeList» VM_ValuationUnitType

- + parcel
- + building
- + property
- + condominium
- + other


6


VM_ValuationUnitGroup clusters valuation units according to zones (e.g. administrative divisions, value zones) or type of valuation units (e.g. commercial, residential) that have similar functional characteristics.





VM_SpatialUnit specifies cadastral parcels, and subparcels that reflect a division of parcels according to land use categories for taxation (e.g. France and Spain).







VM_AbstractBuilding specifies common aspects of buildings and condominium buildings.

VM_Building represents buildings that are considered as complementary parts of property units, which also may be taxed or valued separately from the parcels.

VM_CondominiumBuilding specifies buildings that contain condominium units.



VM_CondominiumUnit represents main condominium units (e.g. apartments) and their physical and legal characteristics.








VM_Valuation defines input and output data used and produced within single or mass appraisal processes.

VM_ValuationApproach data type class specifies information about traditional valuation approaches or methods, used in both single property appraisal and mass appraisal.



Valuation information model – Valuation approach

VM_SalesComparisonMethod documents comparable units used in comparison approach, and monetary adjustments made for the sales prices.

VM_CostMethod organizes cost method related data, such as type, source and price of cost, age of improvements, and appreciated depreciations.

VM_IncomeMethod renders gross and net incomes, capitalization and discount rates, and gross rent multipliers used in income capitalization procedures.

VersionedObject

«dataType» VM_ValuationApproach

- salesComparisonApproach: VM_SalesComparisonApproach [0..*]
- + incomeApproach: VM_IncomeApproach [0..*]
- + costApproach: VM_CostApproach [0..*]

«dataType» VM_CostApproach

- + costType: VM_CostType [0..*]
- + dateOfCostPrice: DateTime [0..1]
- + sourceOfCostPrice: CharacterString [0..*]
- + costPricePerSquareMeter: Currency [0..*]
- + totalCost: Currency
- chronologicalAge: Integer [0..*]
- effectiveAge: Integer [0..*]
- + physicalObsolescence: Currency [0..*]
- + functionalObsolescence: Currency [0..*]
- + externalObsolescence: Currency [0..*]
- + totalObsolescence: Currency [0..*]
- + estimatedValue: Currency [1..*]

«codeList» VM_CostType

- + replacementCost
- + reproductionCost

«dataType» VM_IncomeApproach

- + netIncome: Currency [0..*]
- + potentialGrossIncome: Currency [0..*]
- + effectiveGrossIncome: Currency [0..*]
- + operatingExpenses: Currency [0..*]
- + capitalizationRate: Decimal [0..*]
- + grossIncomeMultiplier: Decimal [0..*]
- + discountRate: Decimal [0..*]
- + estimatedValue: Currency [1..*]


«dataType» VM_SalesComparisonApproach

- + comparableValuationUnitID: Oid [1..*]
- + timeAdjustment: Currency [0..*]
- + locationalAdjustment: Currency [0..*]
- + physicalAdjustment: Currency [0..*]
- + estimatedValue: Currency [1..*]

12

Valuation information model – Mass appraisal

VM_MassAppraisal specifies mass appraisal-related information, such as applied statistical models, analysis types (e.g. multiple regression), and accuracy or performance indicators.




VM_MassAppraisalAnalysisType - multipleRegressionAnalysis - artificialNeuralNetwork - adaptiveEstimationProcedure - timeSeriesAnalysis - clusterAnalysis - locationalValueResponseSurfaceAnalysis - other

«codeList»

«codeList» VM_MeasureOfAppraisalUniformity


- + coefficientOfConcentration
- + coefficientOfDispersion
- + coefficientOfVariation
- + interquartileRange
- + medianAbsoluteDeviation
- + medianPercentDeviation
- + range
- standardDeviation
- weightedCoefficientofDispersion
- weightedCoefficientOfVariation
- + other

Valuation information model – Sales statistics



VM_TransactionPrices defines information content of transaction contracts or declarations provided by parties.


VM_SalesStatistics represents information related to price statistics produced through analysis of transaction prices.




«codeList» VM_TypeOfTransaction

- + openMarketSale
- + inheritence
- + forcedSale
- + familyTransfer
- + other

LADM Valuation information model



Turkish LADM Valuation Infirmation Model Country Profile



From conceptual to technical model

A conceptual model identifies the objects of the chosen domain, their characteristics, the associations among them, constraints and the operations on each. The conceptual model makes data modeling independent from implementation specific issues, like changes in physical storage and performance tuning

There are some tools for automated transformation from conceptual model to the technical model.

Enterprise Architect
INTERLIS


INTERLIS - Tool to describe, integrate and coordinate geodata

- INTERLIS is a **national standard** (SN 312031) implemented by the Swiss Federal Directorate for Cadastral Surveying.
- INTERLIS was initially designed for land administration, but it is not restricted to land administration.
- INTERLIS standard can be employed for data modeling, model validation, data validation, spatial data exchange, and integration of data model geographic models (KOGIS, 2006).
- The conceptual schema language (CSL) of the INTERLIS provides precise
 description of the international data standards and it can be utilized for
 generating its corresponding technical implementation and load some
 geographical data afterwards (Germann et al., 2015). In other words, it
 automatically converts conceptual schema definitions into computerprocessable format.
- There are a number of implementations of INTERLIS in the land administration domain, as LADM based country profiles of countries, namely Switzerland, Greece, the Netherlands and Colombia, were developed for INTERLIS (Kalogianni et al., 2017).

The tools of INTERLIS


- INTERLIS is an object-oriented conceptual schema language (CSL), which is being used to define data models in textual form with a **rigid computer readable syntax**. **3D geometry types are supported** by INTERLIS data model.
- INTERLIS/UML-editor: visualize INTERLIS data models and generate INTERLIS data models files (*.ili) from the UML diagram definitions. Compatible with the UML, XML schema and GML schema.
- INTERLIS-Compiler: the syntactic and semantic compliance of a newly created INTERLIS data model is validated with the INTERLIS-Compiler (ili2c).
- INTERLIS SQL DB (ili2db): Oracle (ili2ora), PostgreSQL/PostGIS (ili2pg) OGC Geopackage (ili2gpgk), ESRI GDB (ili2geodb), Microsoft Access (ili2mdb) and Microsoft SQL server (ili2mssql)
- INTERLIS Validator: Validating model compliancy of data against its conceptual data model (iliValidator).
- QGIS plugin: Generating physical models from INTERLIS models and capturing, importing, editing and exporting data.
- **Reader/Writer to FME**: Read and write INTERLIS models in different data exchange format (ili2fme).

Followed methodology




Workflow for implementation a conceptual model with INTERLIS tools (edited Jenni et al., 2017)

INTERLIS UML of LADM Valuation Information Model




Data models in INTERLIS

The **LADM ISO 19152** and a number of **ISO 19100** series standard including **ISO 19107**, **ISO 19115**, and **ISO 19156** were **described with INTERLIS** by the Swiss Land Management (SLM). The second version of the INTERLIS data model of LADM was described in the context of the Project 'Modernization of Land Administration in Colombia'. The second version LADM described in INTERLIS and the second version of ISO 19107 in INTERLIS supports both 2D and **3D geometries**.



INTERLIS description of classes and associations



Description of code lists in INTERLIS

```
STRUCTURE VM PartyRoleType EXTENDS
LADM V1.Party.LA PartyRoleType =
cID: MANDATORY Oid;
parentcID: Oid REFERENCE TO
LADM V1.Party.LA PartyRoleType.CID;
beginLifeSpanVersion: XMLDate;
endLifeSpanVersion: XMLDate;
code: XMLDate;
description: CharacterString;
MANDATORY CONSTRAINT
end Date Time>=begin Date Time
!! Possible code list values:
(valuer, external Valuer, internal Valuer,
qualifiedValuer, assessor, taxpayer,
bank, certifiedSurveyor, citizen, conveyor, employee
, farmer, moneyPrivider,
notary, stateAdministrator, surveyor, writer);
END VM PartyRoleType;
```


Meaningful Code Lists proposed by (Kalogianni, 2017).

«codeList» Party::LA_PartyRoleType

- + assessor = 5
- + bank
- + certifiedSurveyor
- + citizen
- + conveyor
- + employee
- + externalValuer = 2
- + farmer
- + internal Valuer = 3
- + moneyProvider
- + notary
- + qualifiedValuer = 4
- + stateAdministrator
- + surveyor
- + taxpayer = 6
- + valuer = 1
- + writer


Description of constraints in INTERLIS

```
CLASS VM CondominiumUnit EXTENDS
LADM V1. VersionedObject =
cuID: MANDATORY Oid;
accessoryPart: BOOLEAN;
accessoryPartType: MANDATORY
(garage, laundry, shop, other);
condominiumArea:
VM BuildingAreaType;
floorNumber: Integer;
numberOfRoom: Integer;
shareInJointFacility: Fraction;
MANDATORY CONSTRAINT
VM ValuationUnit.valuationUnitTy
pe = "condominium";"
END VM CondominiumUnit;
```



Implementation with INTERLIS (INTERLIS-Compiler)

After LADM Valuation Information Model was described in INTERLIS (*.ili) file, the model and all the other INTERLIS models (ISO_Base, ISO 19107_V1, ISO 19111, ISO 19115, ISO 19156, LADM_Base, and LADM_V1) on which the model is based were imported in the INTERLIS-Compiler tool (ili2c) in order to check the structural correctness of the newly created INTERLIS data models. XML schema and GML schema of the LADM Valuation Information Model were created.




Implementation with INTERLIS (INTERLIS SQL DB)

After LADM Valuation Information Model and Turkish Country Profile were described in INTERLIS (*.ili), an empty schema was created in the Oracle Spatial 11g database.

Connection between the database and INTERLIS was created with the ili2ora to tool.

Then, all the INTERLIS files (e.g. ISO_Base, LADM_Base, LADM_V1, andLADM_Val_Info_Model, erc.) were imported to the database one by one.



Challanges encountered in INTERLIS implementation

There are a number of challanges in the transformation phase such as;

- **IMPORT statements** in the INTERLIS files were not processed by ili2ora in some cases and it creates confusions since the data types defined in one INTERLIS files could not use by another file, therefore, **corresponding database schema cannot be cretaed**.
- The **rendering of relations** between classes in database is another limitation of the ili2ora tool. The relations between classes defined in INTERLIS files (e.g. association relation) were not mapped to the Oracle database.
- The most of the Primary Keys (PK) were automatically converted into ORACLE database schema, Foreign Keys (FK) and indexes were missing in the created database.
- All the table in the model were created in the database. This may create negative effects in database performance
- Some manual fine-tuning are needed when creating an Oracle database from INTERLIS files with the INTERLIS tools.
- As stated by Kalogianni (2016), deriving a physical model from the conceptual using INTERLIS tools is a **repetitive** and **circular process**.

Conclusions

Concluding remarks

- The INTERLIS tools provide maximum reuse of existing standards for implementing system-neutral and computer-processable models.
- The use of INTERLIS tools can provide semantic and syntactic interoperability. Moreover, there are also some features that make INTERLIS standard and tools unique, such as 3D geometry support including GM_Solid, 3D topology, open source tools, model validation, and automatic conversion of constraint from conceptual to technical model. The usage of INTERLIS may speed up the prototype implementation processes.

Future works

- Impoving the INSTERLIS description of LADM Valuation Model and Turkish Country Profile.
- Automated transformation of spatial constraints in LADM.

Questions / Comments ?